| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| | 140 | 342/198.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 11:17 |
| | 141 | 342/124.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 11:18 |
| | 38278 | ((safety$2 near3 (barrier$1 circuit$2 element$2)) (block$5 near3 capacitor$5 capacitance$2)) ) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:19 |
| | 7 | (((safety$2 near3 (barrier$1 circuit$2 element$2)) (block$5 near3 capacitor$5 capacitance$2)) ) and (342/198.ccls. 342/124.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 11:47 |
| | 5 | ((((safety$2 near3 (barrier$1 circuit$2 element$2)) (block$5 near3 capacitor$5 capacitance$2)) ) and (342/198.ccls. 342/124.ccls.)) and (capacitor$2 capacitance$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 11:47 |
| | 278 | 342/198.ccls. 342/124.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:16 |
| | 0 | 73/290.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:16 |
| | 2859 | 73/290v,290r.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:17 |
| | 147 | 340/621.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:17 |
| | 305 | 340/624.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:17 |

| | | | | | |
|---|---|---|---|---|---|
| - | 21 | 324/124.ccls. | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:17 |
| - | 91 | 324/629.ccls. | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:18 |
| - | 160 | 324/644.ccls. | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:18 |
| - | 257 | 367/189.ccls. | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:18 |
| - | 242 | 367/908.ccls. | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:18 |
| - | 68 | ((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and (((safety$2 protection$5) near3 (barrier$1 circuit$2 element$2)) ((block$5 protection$5) near3 (capacitor$5 capacitance$2)) ) | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:25 |
| - | 45 | (342/198.ccls. 342/124.ccls.) and (capacitor$2 capacitance$2) | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:21 |
| - | 59 | (((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and (((safety$2 protection$5) near3 (barrier$1 circuit$2 element$2)) ((block$5 protection$5) near3 (capacitor$5 capacitance$2)) ) ) not ((342/198.ccls. 342/124.ccls.) and (capacitor$2 capacitance$2)) | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:21 |
| - | 20 | (((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and (((safety$2 protection$5) near3 (barrier$1 circuit$2 element$2)) near5 (capacitor$2 capacitance$2)) ) near3 (capacitor$5 capacitance$2) ) | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:40 |
| - | 71 | (((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and housing$2 and (probe$2 near8 (sens$5 transmission$2))) | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:42 |

| | Hits | Search Query | DBs | Date/Time |
|---|---|---|---|---|
| - | 3 | (((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 340/621.ccls. 367/908.ccls.) and housing$2 and (probe$2 near8 (sens$5 transmission$2))) and ((high$9 near5 (voltage$2 current$2)) same (capacitor$2 capacitance$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:53 |
| - | 11716 | series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:59 |
| - | 4 | (series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 15:55 |
| - | 2269 | (series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:02 |
| - | 548 | ((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and housing$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:02 |
| - | 630 | ((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (probe$2 (transmission$2 near5 line$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:17 |
| - | 809 | ((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (level$5 near7 (transmitter$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:13 |
| - | 0 | (342/198.ccls. 342/124.ccls.) and (((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (level$5 near7 (transmitter$2 sens$5 detect$5))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:11 |
| - | 3 | 73/290v,290r.ccls. and (((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (level$5 near7 (transmitter$2 sens$5 detect$5))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:11 |
| - | 162 | (((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2)) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (level$5 near7 (transmitter$2 sens$5 detect$5))) and (series$2 near5 capacitors$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 16:14 |

| | Query | Databases | Timestamp |
|---|---|---|---|
| 41 | ((((series$1 same (high-voltage$2 (high$2 near2 voltage$2)) same (capacitor$2 capacitance$2) and ((measur$5 detect$5 sens$5) and transmi$5 and receiv$5 and (pulse$2 signal$2))) and (level$5 near7 (transmitter$2 sens$5 detect$5))) and (series$2 near5 capacitors$1) and (probe$2 (transmission$2 near3 line$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:00 |
| 2 | 342/124.ccls. and (block$5 near2 capacit$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:02 |
| 150 | (block$5 near2 capacit$5) and 342/.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:03 |
| 70 | ((block$5 near2 capacit$5) and 342/.ccls.) and ((detect$5 sens$5) near9 (object$2 subject$2 material$2 level$2 gauge$2 target$2 height$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:07 |
| 141 | 342/124.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:07 |
| 0 | 342/124.ccls. and (DC$2 near2 Block$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:09 |
| 3983 | (342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:09 |
| 10 | ((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and (DC$2 near2 Block$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:02 |
| 10 | ((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and (DC$2 near4 Block$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:16 |
| 10 | ((342/198.ccls. 342/124.ccls.) 73/290v,290r.ccls. 340/621.ccls. 340/624.ccls. 324/124.ccls. 324/629.ccls. 324/644.ccls. 367/189.ccls. 367/908.ccls.) and ((DC$2 DC-voltage$2) near4 Block$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/19 19:17 |

| | # | Query | Databases | Date/Time |
|---|---|---|---|---|
| - | 61555 | ((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:05 |
| - | 424 | (((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacit$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 12:19 |
| - | 211 | ((((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacit$5))) and (capacitor$2 capacitance$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:46 |
| - | 107 | (((((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacit$5))) and (capacitor$2 capacitance$2)) and ((antenna$2 "transmission line" probe$2 waveguide$2 radar$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:11 |
| - | 334 | (((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacitor$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:46 |
| - | 166 | ((((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacitor$2))) and (capacitor$2 ) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:46 |
| - | 53 | (((((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and (("DC" near5 (block$5 safety$5 barrier$2)) (block$5 near3 capacitor$2))) and (capacitor$2 near5 series$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 11:47 |
| - | 54 | (((detect$5 sens$5 measure$5 determin$5 calculat$5 comput$5) near5 (level$5) near5 (materials$5 content$5 liquid$5 filling$5 gaug$5 water$5 ))) and ((safe$5 barrier$2 protection$2) near5 (capacitor$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 14:16 |
| - | 4 | (("6249244" or ("6320532")).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/20 14:16 |